

## 4 in. Square boxes

### Conduit knockouts

—  
01 **BC52151-K**  
Concentric knockouts.

—  
02 **C152151-KSB**  
Concentric knockouts with side bracket.

—  
03 **BC52151-KSSX**  
Concentric knockouts. “Wraparound” bracket for 2 1/2 in. and 3 5/8 in. steel studs. With integral support bracket. Mud / tile ring must be used.

—  
04 **BC53151-K**  
Concentric knockouts.



—  
01



—  
02



—  
03



—  
04



Cat. No.	Volume (Cu. in.)	Bracket	Features				Knockouts	
			Raised Ground Screw	1/2 in. sides	1/2 in. bottom	3/4 in. sides	3/4 in. bottom	
<b>1 1/2 in. deep</b>								
BC52151-K	21.0	—	yes	10	4	6	2	
C152151-KSB	21.0	“SB”	yes	8	4	4	2	
BC52151-KSSX	21.0	“SSX”	yes	7	4	3	2	
BC53151-K	21.0	—	—	10	—	6	—	

## 4 in. Square boxes

### Conduit knockouts

01 BC52171-HV-KIT

02 BC52171-KSSXHVKIT

03 BC52171-1-SSX-1/2  
"Wraparound" bracket for 2 1/2 in. and 3 5/8 in. steel studs. With integral support bracket. Brackets are positioned so the front of the box will be flush with 1/2" drywall.

04 CI52171-1  
1 in. knockout

05 BC52171-K  
Concentric knockouts. 1 in. knockout

06 CI52171-KSB  
Concentric knockouts with side bracket.

07 BC52171-KSSX  
Concentric knockouts. "Wraparound" bracket for 2 1/2 in. and 3 5/8 in. steel studs. With integral support bracket. Mud / Tile ring must be used.

08 BC52171-KSSX-1/2  
Concentric knockouts. "Wraparound" bracket for 2 1/2 in. and 3 5/8 in. steel studs. With integral support bracket. Brackets are positioned so the front of the box will be flush with 1/2" drywall.

09 BC53171-K  
Concentric knockouts.



01



02



03



04



05



06



07



08



09



Cat. No.	Volume (Cu. in.)	Features			Knockouts				
		Bracket	Raised Ground Screw		1/2 in. sides	1/2 in. bottom	3/4 in. sides	3/4 in. bottom	1 in. sides
<b>2 1/8 in. deep</b>									
BC52171-HV-KIT	33,6	-	yes		6	-	2	-	-
BC52171-KSSXHVKIT	33,6	"SSX"	yes		6	-	2	-	-
CI52171-1	30,0	-	yes		-	4	-	2	4
CI52171-1-SSX	30,0	"SSX"	yes		-	4	-	2	2
BC52171-1-SSX-1/2	30,0	"SSX"	yes		-	4	-	2	2
BC52171-K	30,0	-	yes		10	4	6	2	-
CI52171-KSB	30,0	"SB"	yes		8	4	4	2	-
BC52171-KSSX	30,0	"SSX"	yes		7	4	3	2	-
BC52171-KSSX-F1	30,0	"SSX"	yes		6	4	2	2	-
BC52171-KSSX-1/2	30,0	"SSX"	yes		7	4	3	2	-
BC52171-K	30,0	-	-		10	-	6	-	-

\* Must be purchased as a kit. The tile ring cover alone as well as the box alone are not available.

## 4 in. Square boxes

### Mud / plaster ring covers



BC52-C-1



BC52-C-6



52C31/2-25



BC52-C-0



CI52-C-10 to CI-52-C-62



BC52-C-0-B



BC52-C-00



BC52-C-17



Cat. No.	Description
<b>Flat covers</b>	
BC52-C-1	Blank
BC52-C-6	1/2 in. conduit knockout
<b>Plaster ring cover</b>	
52C31/2-25*	Raised 1/2 in. (3.5 cu. in.) Tapped ears on 2 3/4 in. centers
<b>Single device covers</b>	
BC52-C-0	Flat
BC52-C-0-B	Flat blank cover
CI52-C-10	Raised 1/8 in. (1.0 cu. in.)
BC52-C-13	Raised 1/2 in. (3.6 cu. in.)
CI52-C-14	Raised 3/4 in. (5.7 cu. in.)
CI52-C-14-5/8	Raised 5/8 in. (4.3 cu. in.)
CI52-C-15	Raised 7/8 in. (6.8 cu. in.)
CI52-C-16	Raised 1 1/4 in. (9.5 cu. in.)
CI52-C-62	Raised 1/4 in. (1.8 cu. in.)
<b>Two device covers</b>	
BC52-C-00	Flat
BC52-C-17	Raised 1/2 in. (6.2 cu. in.)
52 C 18*	Raised 3/4 in. (9.0 cu. in.)
52C185/8-25*	Raised 5/8 in. (7.3 cu. in.)

\* UL Listed and CSA certified

## 4 in. Square boxes

### Tile ring covers



BC52C49-1/2 to CI52-C-51-2



52 C 52 1/2 to 52 C 54 2



52CADJ



Cat. No.	Description
<b>One device square cornered tile covers</b>	
BC52C49-1/2	Raised 1/2 in. (3.4 cu. in.)
BC52C49-3/4	Raised 3/4 in. (5.3 cu. in.)
BC52-C-49-5/8	Raised 5/8 in. (4.3 cu. in.)
BC52-C-49-1	Raised 1 in. (6.8 cu. in.)
CI52-C-49-1 1/4	Raised 1 1/4 in. (8.6 cu. in.)
CI52-C-50-1 1/2	Raised 1 1/2 in. (10.0 cu. in.)
CI52-C-51-2	Raised 2 in. (14.0 cu. in.)
<b>One device square cornered tile covers - adjustable</b>	
52CADJ	Adjustable from 1/2 in. to 1 1/2 in. raise (from 3.4 to 10.0 cu. in.)
<b>Two device square cornered tile covers</b>	
52 C 52 1/2	Raised 1/2 in. (6.0 cu. in.)
52 C 52 5/8	Raised 5/8 in. (8.3 cu. in.)
52 C 52 3/4	Raised 3/4 in. (9.0 cu. in.)
52 C 52 1	Raised 1 in. (12.5 cu. in.)
52 C 52 1 1/4	Raised 1 1/4 in. (15.5 cu. in.)
52 C 53 1 1/2	Raised 1 1/2 in. (19.0 cu. in.)
52 C 54 2	Raised 2 in. (25.5 cu. in.)

## 4 in. Square boxes

### Covers



BC8361



BC8362



BC8363




BC8364



BC8365



BC8366



BC8367



Cat. No.	Description
<b><math>\frac{3}{8}</math> in. raised surface covers (4.6 cu. in.) device mount</b>	
BC8361	One toggle switch
BC8362	For 2 $\frac{5}{8}$ in. diameter 30 / 50 A single receptacle
BC8363	For 1 $\frac{13}{32}$ in. diameter 15 A single receptacle
BC8364	For 1 $\frac{19}{32}$ in. diameter 20 / 30 A single locking receptacle
BC8365	One duplex receptacle
BC8366	For 2 $\frac{9}{64}$ in. diameter 30 A single receptacle
BC8367	Two toggle switches

Complete with device mounting screws

Cover	NEMA Configuration						
	A	V	Pole	Wire	Phase	Rec. Dia	NEMA
BC8363	15	125	2	3	1	1.406	5-15R
BC8364	20	125	2	3	1	1.562	L5-20R
BC8364	20	250	2	3	1	1.562	L6-20-R
BC8364	20	347	2	3	1	1.562	L24-20R
BC8364	20	600	2	3	1	1.562	L9-20R
BC8364	20	125/250	3	3	1	1.562	L10-20R
BC8364	20	250	3	3	3	1.562	L11-20R
BC8364	20	125/250	3	4	3	1.562	L14-20R
BC8366	30	125	2	3	1	2.109	5-30R
BC8364	30	125	2	3	1	1.562	L5-30R
BC8366	30	250	2	3	1	2.109	6-30R
BC8364	30	250	2	3	1	1.562	L6-30R
BC8362	30	125/250	3	4	3	2.647	14-30R
BC8362	50	125/250	3	4	1	2.647	14-50R

## 4 in. Square boxes


### Covers



BC8368



BC8371



BC8375



BC8376



BC8377



BC8378



BC97002



Cat. No.	Description
<b><sup>3</sup>/<sub>8</sub> in. raised surface covers (4.6 cu. in.)</b>	
BC8368	2 Decora/GFCI
BC8371	Two duplex receptacles
BC8375	One toggle switch, one duplex receptacle
BC8376	One Decora/GFCI
BC8377	One toggle switch, one Decora/GFCI
BC8378	One duplex receptacle, one Decora/GFCI
<b>GFCI Conversion kits (stainless steel / steel)</b>	
BC97002	To install GFCI on 4 in. square boxes. Complete with mounting screws

Complete with device mounting screws.

When extra capacity is required, the 8300 Series of 4 in. square covers can be mounted on a 72 Series of 4 11/16 in. square boxes using a C172-A-52 adaptor. (see page A46)